



Budget-friendly 24/7 commercial grade 4K AV monitor

4K Display


The 4K Ultra HD display delivers incredible image quality with resolution four times higher than Full HD. Optimised for both near and far viewing distances, the display allows your content to take centre stage for all your visual communication.






Attach Devices

Connecting external devices like a PC or media player to the monitor is easy. Attach your source by the HDMI input or the VGA and 3.5mm audio jack inputs.



Ш	Portrait or Landscape Orientation
()	Integrated Speakers
NIPS	IPS Panel
→ ←	Narrow Bezel
	Optional Android Media Player
	RS-232 Control
	Supports HDMI CEC Commands
*	24/7 Commercial Grade
	Other Sizes Available on Request
$\overline{\bigcirc}$	3 Year Warranty
\mathbf{O}	Lifetime Technical Support





Specification Table




		55 Inch
Panel	Resolution	3840x2160
	Display Area (mm)	1215x686
	Bezel Size (mm)	13
	Pixel Pitch	0.2451x0.2451
	Aspect Ratio	16:9
	Brightness (cd/m²)	350
	Colour	1.07G
	Viewing Angle	178°
	Contrast Ratio	1200:1
Audio	Speaker Type	2x5W/8Ω
AV Ports	Ports	HDMI In (x2), VGA In, Audio Socket (3.5mm), SPDIF, USB 2.0, RS-232 In
Power	Power Consumption (W)	≤85
	Input Voltage	AC100~240V (50Hz~60Hz)
Mechanical	Unit Size (WxHxD mm)	1243x714x69
	Package Size (WxHxD mm)	1364x824x154
	VESA Holes (mm)	400x400 M6
	Net Weight (kg)	TBC
	Gross Weight (kg)	TBC
Environmental	Operating Temperature	0°C to 40°C
	Storage Temperature	-10°C to 55°C
	Operating Humidity	10% to 80%
	Storage Humidity	10% to 90%
Accessories	Included	Remote Control, User Manual, 1.5m Power Cable. 1.5m HDMI Cable
	Optional	Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand
Warranty	Warranty Period	3 Year Warranty
	Technical Support	Lifetime

Errors and omissions excepted









Why Choose Our Commercial Display Solutions?

