55" Superslim Freestanding Double-Sided Digital Posters





Incredibly This Dual-Sided Display

The overall depth of this display is just 25mm; thinner than most single sided displays. Not only does the exceptionally slim design attract more attention, but it also maximises manoeuverability



Stylish Elegant Frame

With a minimalistic framework design and high-end brushed gold finish, this unique display exudes luxury and is sure to grab attention in any location.







Lightweight Design



Integrated Android Media Player



Premium Brushed Gold Finish



Ultra Resistand to Blackening Defect



IPS Panel



High Brightness Display 700cd/m²



Easy USB Updates



Network Upgrade Available



24/7 Commercial Grade

Other Features



Display Different Content Each Side

The special Android media player can output two separate signals simultaneously. This means that with the networked version of this product, you can display different content on each screen at the same time.



IPS Panel

Commercial grade IPS technology ensures incredible image quality and colour depth with no fall-off in colour accuracy, as well as achieving ultimate lifelike colour from an ultra-wide viewing angle in landscape or portrait orientation.



High Brightness Displays (700cd/m²)

Both sides feature commercial grade high brightness IPS panels for accurately displaying image quality and colour depth with no fall-off in colour accuracy. These panels are designed to achieve ultimate lifelike colour temperature in portrait orientation.

Outward Facing 700cd/m²



Inward Facing 700cd/m²

Easy USB Updates

Plug and Play is the most straight forward way to upload content to the screen. Simply load images and videos onto a USB stick, insert into the display, wait for your content to copy over and then remove. Your images and videos will now play in a continuous loop.



Lightweight Design

Thanks to the segmented tubular design, this freestanding digital poster can be easily moved into position, making it fully portable.




24/7 Commercial Grade

This is a true commercial grade solution. Built using high quality LCD panels and components, this solution is designed to be in constant use in public spaces.



Integrated Android Media Player

The built in Android media player inside the screen allows you to upgrade to a network version without needing any additional hardware. You can also install third party Android apps if required.




Optional Network Upgrade

For a small charge you can upgrade your screen to be networked, allowing you to connect your screen via Wi-Fi, LAN or 4G, then remotely update it over the internet.



Key Features




















Colours 16.7M 178° 178			
Display Area 1209.6x680.4			55 Inch
Aspect Ratio 16:9 16:9 16:9 16:10	Panel	Resolution	1920x1080
Panel Brightness (cd/m) 700 Colours 16,7M Viewing Angle 178* Contrast Ratio 1200:1 AV Inputs Speaker Type 2W 80 (x2) AV Inputs Speaker Type 2W 80 (x2) AV Inputs 4U flow HDMII, VGA AV Inputs 4U flow HDMII, VGA AV Inputs 4U flow Audio Available Audio Audio Socket (3.5mm) Power Input Voltage ACIO0-2300 (50Hz-60Hz) Input Voltage ACIO0-2300 (50Hz-60Hz) Pockage Size (WxHxD) 1940x867.2x25 Package Size (WxHxD) 17EC Mechanical Footprint (WxD) 8672x600		Display Area	1209.6x680.4
Colours		Aspect Ratio	16:9
Colurs		Brightness (cd/m)	700
Contrast Ratio 1200:1 AV Inputs Speaker Type 2W 8Q (x2) AV Inputs Av Input		Colours	16.7M
AV Inputs Speaker Type 2W 8Ω (x2) AV Inputs Video HDMI, VGA AV Inputs Video Audio Power Consumption (W) 150 Input Voltage AC100~230V (50Hz-60Hz) Memory Package Size (WxHxD) 1940x867.2x25 Package Size (WxHxD) TBC Poctprint (WxD) 867.2x60O Net Weight (kg) 33.05 Gross Weight (kg) 33.05 Gross Weight (kg) 42.95 Operating Temperature 0°C to 40°C Storage Temperature 0°C to 40°C Operating Humidity 0% - 90% Storage Humidity 0% - 90% GPU Quad-Core ARM Cortex-A17 @ 166Hz GPU Quad Core ARM Cortex-A17 @ 169Hz GPU		Viewing Angle	178°
Video		Contrast Ratio	1200:1
Audio Audi	AV Inputs	Speaker Type	2W 8Ω (x2)
Power Power Consumption (W) Audio Socket (3.5mm) Power Consumption (W) 150 Input Voltage AC100-230V (50Hz-60Hz) Mechanical Foakage Size (WxHxD) 1940x867.2x25 Mechanical Footprint (WxD) 8672x600 Net Weight (kg) 33.05 Gross Weight (kg) 42.95 Storage Temperature -0°C to 40°C Operating Temperature -20°C - 60°C Operating Humidity 0% - 90% Storage Humidity 0% - 90% Storage Humidity 0% - 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPEG, GIF, BMP, PNG) Media Resolution 1920x1080/1080x1920 CPU Quad-Core ARM Cortex-A17 @ 1.6GHz GPU Quad-Core ARM Cortex-A17 @ 1.6GHz GPU Quad Core ARM Mali-T764 RAM 2GB DDR3 Internal Storage 8GB mMC USB 1 x USB (OTG/HOST), 4 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 80.21lb/g/n/cc (Network Version Only) Bluetooth Bl	AV Inputs	Video	HDMI, VGA
Input Voltage		Audio	Audio Socket (3.5mm)
Injut Voltage	Power	Power Consumption (W)	150
Mechanical Package Size (WxHxD) TBC Mechanical Footprint (WxD) 867.2x600 Net Weight (kg) 33.05 Gross Weight (kg) 42.95 Perminder 0°C to 40°C Storage Temperature -20°C - 60°C Operating Humidity 0% - 90% Storage Humidity 0% - 90% Storage Humidity 0% - 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPEG, GIF, BMP, PNG) Perminder Perminder 1920x1080x1080x1920 CPU Quad - Core ARM Cortex-A17 @ 1.6GHz GPU Quad Core ARM Mali-T764 RAM 2GB DDR3 Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 4 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth Bluetooth 4.0 OS Android 71 Graphics Engine OpenGL ES 1.1/2.0/3.0/3.1, Open CL 11, Renderscript, Direct3D 11.1 Accessories Included Schedule Software, Remote Control, User Manual		Input Voltage	AC100-230V (50Hz-60Hz)
Mechanical Footprint (WxD) 867.2x600 Net Weight (kg) 33.05 Gross Weight (kg) 42.95 Operating Temperature 0°C to 40°C Environmental Storage Temperature -20°C - 60°C Operating Humidity 0% - 90% Storage Humidity 0% - 95% Media Formats Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPEG, GIF, BMP, PNG) Media Resolution 1920x1080/1080x1920 CPU Quad-Core ARM Cortex-A17 @ 1.6GHz GPU Quad-Core ARM Cortex-A17 @ 1.6GHz RAM 2GB DDR3 Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 4 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth Bluetooth 4.0 OS Android 7.1 Graphics Engine OpenGL ES 11/2.0/3.0/3.1, Open CL 1.1, Renderscript, Direct3D 11.1 Accessories Included Schedule Software, Remote Control, User Manual Optional Network Upgrade Warranty	Mechanical	Unit Size (WxHxD)	1940x867.2x25
Net Weight (kg) 33.05		Package Size (WxHxD)	TBC
Gross Weight (kg)		Footprint (WxD)	867.2x600
Operating Temperature		Net Weight (kg)	33.05
Storage Temperature		Gross Weight (kg)	42.95
Operating Humidity	Environmental	Operating Temperature	0°C to 40°C
Operating Humidity		Storage Temperature	-20°C - 60°C
Media Formats		Operating Humidity	0% - 90%
Media Resolution		Storage Humidity	0% - 95%
CPU Quad-Core ARM Cortex-A17 @ 1.6GHz	Computer	Media Formats	Video (MPG, AVI, MP4, RM, RMVB, TS), Audio (MP3, WMA), Image (JPEG, GIF, BMP, PNG)
GPU Quad Core ARM Mali-T764 RAM 2GB DDR3 Internal Storage 8GB eMMC USB 1 x USB (OTG/HOST), 4 x USB (HOST) LAN 100M/1000M Ethernet (Network Version Only) Wi-Fi 802.11b/g/n/ac (Network Version Only) Bluetooth Bluetooth 4.0 OS Android 7.1 Graphics Engine OpenGL ES 1.1/2.0/3.0/3.1, Open CL 1.1, Renderscript, Direct3D 11.1 Accessories Included Schedule Software, Remote Control, User Manual Optional Network Upgrade Warranty Warranty Period 3 Year Warranty		Media Resolution	1920x1080/1080x1920
RAM 2GB DDR3 Internal Storage 8GB eMMC USB		CPU	Quad-Core ARM Cortex-A17 @ 1.6GHz
Internal Storage		GPU	Quad Core ARM Mali-T764
USB		RAM	2GB DDR3
USB		Internal Storage	8GB eMMC
Wi-Fi 802.11b/g/n/ac (Network Version Only)		USB	1 x USB (OTG/HOST), 4 x USB (HOST)
Bluetooth Bluetooth 4.0 OS Android 7.1 Graphics Engine OpenGL ES 1.1/2.0/3.0/3.1, Open CL 1.1, Renderscript, Direct3D 11.1 Accessories Included Schedule Software, Remote Control, User Manual Optional Network Upgrade Warranty Warranty Warranty Warranty		LAN	100M/1000M Ethernet (Network Version Only)
OS Android 7.1 Graphics Engine OpenGL ES 1.1/2.0/3.0/3.1, Open CL 1.1, Renderscript, Direct3D 11.1 Accessories Included Schedule Software, Remote Control, User Manual Optional Network Upgrade Warranty Warranty Period 3 Year Warranty		Wi-Fi	802.11b/g/n/ac (Network Version Only)
Graphics Engine OpenGL ES 1.1/2.0/3.0/3.1, Open CL 1.1, Renderscript, Direct3D 11.1 Accessories Included Schedule Software, Remote Control, User Manual Optional Network Upgrade Warranty Period 3 Year Warranty		Bluetooth	Bluetooth 4.0
Accessories Included Schedule Software, Remote Control, User Manual Optional Network Upgrade Warranty Period 3 Year Warranty		OS	Android 7.1
Accessories Optional Optional Network Upgrade Warranty Period 3 Year Warranty		Graphics Engine	OpenGL ES 1.1/2.0/3.0/3.1, Open CL 1.1, Renderscript, Direct3D 11.1
Optional Network Upgrade Warranty Period 3 Year Warranty	Accessories	Included	Schedule Software, Remote Control, User Manual
Warranty		Optional	Network Upgrade
	Marranty	Warranty Period	3 Year Warranty
	vvariality	Technical Support	Lifetime

Errors and omissions excepted









55" Superslim Freestanding Double-Sided Digital Poster Display Unit

QTY: Per Order

Client: Signbox E-Shop
Job No: AA00000/1
Project: 55" Superslim Freestanding Double-Sided Digital Poster Displays
Date / Rev: 31/10/2023 / 1
Scale: 1:10 @ A3
Drawn by: TM

Drawn by: **TM** Site:

Page: 1 of 1 SF014/4

Notes:
Resolution - 1920 x 1080 pixels @ 16:9 aspect ratio
Brightness - 700 CD/m2
Contrast Ratio - 1200:1
Colours - 16.7M
AV Inputs - VGA, HDMI
Power Consumption - 150W
Weight - 23.45Kg
Options - Network upgrade



Rev Date Purpose of issue 1 31.10.23 Issued for client review

Approval / ISO 9001 Check A Approved (initials) Approved with Not Approved

Signbox Check (initials)





T: 01784 438688 E: sales@signbox.co.uk signbox ltd

Why Choose Our Commercial Display Solutions?





From the moment you receive your product, throughout the duration of your warranty and even after your warranty has expired we are here to support you. If you require any assistance setting up or using your product, or have any problems at all, we can provide free technical support via telephone and email.



If needed, we can provide an installation service for any of our products. We can also set up service-level agreements for larger projects that require maintenance contracts.



All of our commercial display products come with a 3 year commercial warranty as standard but if you want to extend this you can upgrade this to cover a 5 year period at point of purchase.



Training

As well as providing free remote CMS training sessions and webinars we can also visit you to deliver bespoke training for our software and hardware*.



Advanced Replacements Should your display suffer from any kind of hardware failure during the warranty period we will send you an advanced replacement and arrange for your old display to be collected, free of charge. This ensures no downtime where you are without a screen.



Custom Product & Testing Configuration If you need us to test third party software or a website, or configure your screen in a particular way before it is dispat ched (e.g. in a particular orientation or network mode), we can do so to make your life easier.



3D Rendering

Want to know how a particular screen will look once installed? Send us a photo of the location and we will create a 3D rendering of any screen in situ to help you to visualise how amazing it will look.



Logistics Support We hold more stock in our UK warehouse than any other manufacturer so we can help you meet tight deadlines. For last minute orders we can also offer special express or morning delivery options*. We also carry out UK based quality control checks on every display before it leaves our warehouse.



If you need to loan a sample unit to test we'd be more than happy to arrange this. We can also provide a rental service for temporary projects*.



Your display can be cust omised to suit your requirements by adding your logo or printed graphics or even tailoring the colour of a display. We can also carry out hardware modifications to existing products or manufacture bespoke solutions for special projects.



As well as being able to provide accessories and add-ons, such as extra remote controls, NUC PCs and video wall controllers, we can also supply custom made flight cases which are great if a display needs to be moved safely from place to place.